

Volume 69, Number 3, 2005

Proceedings of the Twenty-Eighth National Conference on Cosmic Rays

G.A. Bazilevskaya, S.A. Voronov, A.M. Galper, V.G. Zverev, A.N. Kvashnin, O.S. Maksumov, M.F. Runtso, A.S. Stepin, Yu.I. Stozhkov, and Yu.T. Yurkin Experimental study of separation of electron and hadron showers by Russian segment of PAMELA magnetic spectrometer	351
S.A. Voronov, A.M. Galper, V.G. Zverev, P. Picozza, P. Spillantini, A.S. Stepin, and Yu.T. Yurkin Method of suppression of proton background in PAMELA spectrometer	354
E.A. Bogomolov, G.I. Vasiliev, and S.Yu. Krut'kov Analysis of possibilities for selecting galactic electrons at energies up to 5 TeV in PAMELA experiment	357
A.A. Lagutin, A.G. Tyumentsev, and A.V. Yushkov Inconsistency of experimental data on spectra of primary nuclei with muon intensities measured at sea level	362
L.G. Sveshnikova, A.K. Managadze, R.A. Mukhamedshin, and T.M. Roganova Testing models of knee in PCR spectrum by gamma-hadron families	366
T.S. Yuldashbaev, V.M. Chudakov, and Kh. Nuritdinov Energy dependence of alignment effect of particles with highest energies in gamma-families	370
A.S. Borisov, A.V. Vargasov, Z.M. Guseva, V.G. Denisova, E.A. Kanevskaya, V.M. Maximenko, V.S. Puchkov, and S.A. Slavatskiy Mass composition of primary cosmic rays at energies $E_0 = 1-10$ PeV according to data of X-ray emulsion chambers in Pamir experiment	373
S.B. Shaulov, N.G. Vildanov, L.I. Vildanova, M. Kokobaev, A.V. Kruglov, Yu.A. Krupchatnikova, N.M. Nesterova, N.M. Nikolskaya, V.P. Pavlyuchenko, V.V. Piskal, K.V. Cherdyntseva, and A.P. Chubenko Analysis of CR composition in knee region using data of EAS array (muons) and XREC (gamma-rays)	376
V.S. Eganov, V.A. Ivanov, E.A. Mamidzhanyan, N.M. Nikolskaya, S.I. Nikolsky, V.A. Romakhin, and A.A. Chilingaryan Experimental studies of electron-photon and muon components of EAS at Mt. Aragats in knee region of shower size spectrum	379
N.M. Nesterova, R.A. Mukhamedshin, V.P. Pavlyuchenko, A.P. Chubenko, and A.L. Shchepetov Fluxes of hadrons with energies of 10 to 2000 GeV in EAS initiated by PCR in range of 1 to 100 PeV according to Tien Shan data	383
T.T. Barnaveli, T.T. Barnaveli Jr., N.M. Nesterova, I.V. Khaldeeva, A.P. Chubenko, and N.A. Eristavi Change in nuclear composition of primary cosmic rays in energy range 10^{15} to 10^{16} eV ..	387
N.M. Budnev, R.V. Vasiliev, R. Wischnewski, O.A. Gress, T.I. Gress, E.E. Korosteleva, L.A. Kuzmichev, B.K. Lubsandorzhiev, Yu.V. Parfenov, L.V. Pan'kov, P.G. Pokhil, V.V. Prosin, Yu.A. Semenei, D.V. Chernov, T. Schmidt, Ch. Spiering, and I.V. Yashin Energy spectrum and mass composition of primary cosmic rays according to data of Tunka Cherenkov EAS array	391

N.M. Budnev, R. Wischnewski, O.A. Gress, N.N. Kalmykov, E.E. Korosteleva, L.A. Kuzmichev, B.K. Lubsandorzhev, G. Navarra, M.I. Panasyuk, L.V. Pan'kov, Yu.V. Parfenov, P.G. Pokhil, V.V. Prosin, V.S. Ptuskin, Yu.A. Semenei, D.V. Chernov, A.V. Shirokov, Ch. Spiering, and I.V. Yashin	
Array for detection of EAS by Cherenkov light with area of 1 km ² in Tunka valley	395
N.N. Kalmykov, G.V. Kulikov, Al.A. Silaev, A.A. Silaev, and V.P. Sulakov	
Investigation of arrival directions of cosmic rays with energies above 2×10 ¹⁵ eV according to data of MSU EAS array	399
S. Blokhin, N. Kabanova, S. Kazaryan, G. Karagezyan, E. Mamidzhanyan, L. Melkumyan, S. Nikolsky, G. Ovsepyan, V. Romakhin, S. Sokhoyan, and A. Chilingaryan	
Lateral distribution function of EAS electrons in shower size range 10 ⁵ ≤ N _e ≤ 3×10 ⁷ according to data of Maket-ANI array	402
I.V. Amurina, V.P. Antonova, G.M. Autova, M.K. Babaev, A.S. Baigubekov, P.A. Beil, R.U. Beisembaev, A.E. Bodunov-Skvortsov, A.S. Borisov, Yu.N. Vavilov, A.V. Vargasov, N.G. Vildanova, L.I. Vildanov, E.N. Gudkova, A.V. Gurevich, Z.M. Guseva, V.G. Denisova, V.I. Drobzhev, V.V. Zhukov, N.N. Zastrozhnova, G.T. Zatsepin, E.A. Kanevskaya, J. Kempa, M.G. Kogan, E.V. Kostin, A.V. Kruglov, M.I. Krylova, S.V. Kryukov, O.N. Kryakunova, A.I. Kupchishin, V.M. Maximenko, A.K. Managadze, I.S. Martianov, K.M. Mukashev, R.A. Mukhamedshin, R.A. Nam, N.M. Nesterova, Kh. Nuritdinov, V.V. Oskomov, V.P. Pavlyuchenko, V.V. Piscal, R.Yu. Polyakov, V.S. Puchkov, S.E. Pyatovsky, I.V. Rakobolskaya, T.M. Roganova, N.N. Roinishvili, V.A. Ryabov, N.O. Saduev, T.Kh. Sadykov, L.G. Sveshnikova, S.A. Slavatinsky, A.V. Stepanov, Zh.T. Tolegen, K.V. Cherdyntseva, A.P. Chubenko, P.A. Chubenko, S.B. Shaulov, G.T. Shoiynbaeva, A.L. Shchepetov, T.S. Yuldashbaev, and V.I. Yakovlev	
ATHLET Tien Shan experimental setup for comprehensive investigation of cosmic rays ...	406
L.G. Dedenko, A.A. Kirillov, I.A. Kirillov, G.F. Fedorova, and E.Yu. Fedunin	
Investigation of distribution of EAS maximum's depth at giant energies using function $A \exp[-(x-c)^2/(a(x-c)+2b^2)]$	410
S.P. Knurenko, A.A. Ivanov, and I.E. Sleptsov	
Mass composition of PCR in range 5×10 ¹⁷ to 3×10 ¹⁹ eV according to data of Yakutsk EAS array	414
A.V. Glushkov	
Multipolar anisotropy of arrival directions of cosmic rays with energies E ₀ = 8×10 ¹⁸ eV... ..	417
A.I. Goncharov, A.A. Lagutin, A.V. Plyasheshnikov, and T.L. Serebryakova	
Features of characteristics of air showers calculated taking into account LPM and GMF effects	421
V.A. Tsarev, V.A. Chechin, V.I. Galkin, I.A. Krol, and T.M. Roganova	
Simulation of radio pulse generation in high-energy EAS	425
A.P. Chubenko, A.L. Shchepetov, V.P. Antonova, L.I. Vildanova, S.V. Kryukov, R.A. Mukhamedshin, N.M. Nesterova, V.V. Oskomov, and T.Kh. Sadykov	
Problem of anomalously delayed neutron signals in cores of EAS with shower size above 10 ⁶ at mountain level	429
A.P. Chubenko, A.L. Shchepetov, M.K. Babaev, A.S. Baigubekov, N.N. Zastrozhnova, I.S. Martianov, O.A. Novolodskaya, V.V. Oskomov, T.Kh. Sadykov, N.O. Saduev, and Zh.T. Tolegen	
Anomalously delayed particles according to neutron monitor data at three levels of observation in atmosphere	433
R.U. Beisembaev, Yu.N. Vavilov, N.G. Vildanov, A.V. Kruglov, and Zh.S. Takibaev	
Delayed particles in EAS and geomagnetic field	437

S.A. Petrochenkov, A. Polanski, K. Jedrzejczak, J. Karczmarczyk, M. Kasztelan, J. Swarzynski, B. Szabelska, J. Szabelski, and T. Wibig	
Observation of neutrons during several milliseconds after EAS passage	441
N.S. Barbashina, A.G. Bogdanov, O.S. Zolina, V.V. Kindin, R.P. Kokoulin, E.O. Konoreva, K.G. Kompaniets, G. Mannocchi, A.A. Petrukhin, O. Saavedra, G. Trincherro, D.V. Chernov, V.V. Shutenko, and I.I. Yashin	
Muon bundles in horizontal flux of cosmic rays.....	444
M.B. Amelchakov, A.G. Bogdanov, Yu.V. Gilitsky, S.N. Gurzhiev, S.P. Denisov, A.F. Dunaitsev, V.G. Zholobov, V.V. Kindin, R.P. Kokoulin, K.G. Kompaniets, A.S. Lidvansky, V.V. Lipaev, A.A. Matyushin, Yu.F. Novoseltsev, A.V. Ovchinnikov, V.B. Petkov, A.A. Petrukhin, N.N. Prokopenko, A.M. Rybin, M.M. Soldatov, Yu.V. Stenkin, A.N. Sytin, E.E. Yanson, and I.I. Yashin	
Project of BARS-SHAL experiment to search for new physical processes in cosmic rays...	448
V.N. Bakatanov, A.G. Bogdanov, T.M. Kirina, R.P. Kokoulin, A.S. Lidvansky, Yu.F. Novoseltsev, R.V. Novoseltseva, V.B. Petkov, A.A. Petrukhin, A.L. Tsyabuk, A.V. Shalabaeva, and I.I. Yashin	
Investigation of super-high energy muons using data of Baksan underground scintillation telescope	451
M.B. Amelchakov, N.S. Barbashina, V.V. Kindin, R.P. Kokoulin, K.G. Kompaniets, R.V. Konoplatov, G. Mannocchi, A.A. Petrukhin, D.A. Room, O. Saavedra, D.A. Timashkov, G. Trincherro, D.V. Chernov, V.V. Shutenko, E.E. Yanson, and I.I. Yashin	
Analysis of data on albedo flux of muons near ground surface.....	455
N.Yu. Agafonova, V.V. Boyarkin, E.A. Dobrynina, V.V. Kuznetsov, A.S. Malgyn, O.G. Ryazhskaya, and V.F. Yakushev (LVD Collaboration)	
Measurement of specific yield of neutrons produced by muons, using underground LVD detector	459
M.G. Kogan and R.A. Mukhamedshin	
Spectrum of energies released by muons in deep lead chambers in Pamir experiment	462
V.M. Ainutdinov, V.A. Balkanov, I.A. Belolaptikov, L.B. Bezrukov, N.M. Budnev, R.V. Vasiliev, R. Wischnewski, E. Vyatchin, O.N. Gaponenko, O.A. Gress, T.I. Gress, I.A. Danilchenko, Zh.-A.M. Dzhilkibaev, G.V. Domogatsky, A. Dyachok, V.A. Zhukov, E.A. Kazakov, A.M. Klabukov, A.I. Klimov, S.I. Klimushin, K.V. Konishchev, A.P. Koshechkin, V.F. Kulepov, L.A. Kuzmichev, V.E. Kuznetsov, B.K. Lubsandorzhiev, M.B. Milenin, R.R. Mirgazov, S.P. Mikheev, N.I. Moseiko, E.A. Osipova, A.I. Panfilov, Yu.V. Parfenov, L.V. Pankov, G.L. Pankov, A.A. Pavlov, E.N. Pliskovsky, P.G. Pokhil, E.G. Popova, V.V. Prosin, V.A. Poleshchuk, M.I. Rozanov, V.Yu. Rubtsov, Yu.A. Semenei, Ch. Spiering, O. Streicher, B.A. Tarashansky, A.G. Chensky, D.V. Chernov, S.V. Fialkovsky, B.A. Shaibonov, and I.V. Yashin	
Limit on flux of high-energy muons, deduced from data of NT-200 Baikal neutrino telescope.....	466
V.M. Ainutdinov, V.A. Balkanov, I.A. Belolaptikov, L.B. Bezrukov, N.M. Budnev, R.V. Vasiliev, R. Wischnewski, E. Vyatchin, O.N. Gaponenko, O.A. Gress, T.I. Gress, I.A. Danilchenko, Zh.-A.M. Dzhilkibaev, G.V. Domogatsky, A. Dyachok, V.A. Zhukov, E.A. Kazakov, A.M. Klabukov, A.I. Klimov, S.I. Klimushin, K.V. Konishchev, A.P. Koshechkin, V.F. Kulepov, L.A. Kuzmichev, V.E. Kuznetsov, B.K. Lubsandorzhiev, M.B. Milenin, R.R. Mirgazov, S.P. Mikheev, N.I. Moseiko, E.A. Osipova, A.I. Panfilov, Yu.V. Parfenov, L.V. Pankov, G.L. Pankov, A.A. Pavlov, E.N. Pliskovsky, P.G. Pokhil, E.G. Popova, V.V. Prosin, V.A. Poleshchuk, M.I. Rozanov, V.Yu. Rubtsov, Yu.A. Semenei, B.A. Tarashansky, S.V. Fialkovsky, A.G. Chensky, D.V. Chernov, B.A. Shaibonov, Ch. Spiering, O. Streicher, and I.V. Yashin	
Search for high-energy neutrinos in Baikal deep underwater experiment	470

D.V. Smirnov, V.I. Volchenko, S.N. Karpov, A.S. Lidvansky, V.B. Petkov, A.V. Radchenkov, A.B. Chernyaev, and A.F. Yanin Search for high-energy cosmic gamma-ray bursts with Andyrchi array of Baksan neutrino observatory	473
Yu.I. Neshpor, A.A. Stepanyan, V.S. Eliseev, N.A. Zhogolev, E.M. Nekhai, Z.N. Skiruta, V.V. Fidelis, and V.P. Fomin Observation of galaxy BL Lac in Crimean astrophysical observatory in 2000 and 2002	477
V.V. Fidelis, V.S. Eliseev, N.A. Zhogolev, E.M. Nekhai, and Z.N. Skiruta Results of observation of Crab Nebula and Galaxies Mk 421 and 1ES 1959+650	480
V.G. Sinitsina, T.P. Arsov, S.S. Borisov, S.I. Nikolsky, F.I. Musin, V.Yu. Sinitsina, and G.F. Platonov Very high energy gamma-rays from galactic sources Geminga and Tycho Brahe's supernova remnants (1–30 TeV) and binary system Cygnus X-3 (1–65 TeV).....	483
V.L. Ginzburg, V.A. Kaplin, A.I. Karakash, L.V. Kurnosova, M.F. Runtso, A.P. Soldatov, N.P. Topchiev, M.I. Fradkin, S.K. Chernichenko, and I.V. Shein Russian version of telescope to record diffuse gamma-rays in energy range 10 to 1000 GeV.....	489
E.I. Chuikin Separation of submillisecond and millisecond pulsations of hard gamma-rays of Vela and Geminga pulsars observed by GAMMA-1 telescope	493
A.A. Abdurakhmanov, K.G. Gulamov, S.L. Lutpullaev, S.Kh. Suleimanov, A.A. Yuldashev, and T.S. Yuldashbaev Application of large solar furnace for astrophysical research	497
O.V. Belonosova, V.V. Borog, E.Yu. Smetanina, P.O. Simakov, and V.G. Yanke Observation of Moon's shadow in flux of cosmic rays of moderate energies (tens of GeV)	500
O.V. Belonosova, A.V. Belov, V.V. Borog, A.S. Davydov, G.M. Kruchenitsky, S.P. Perov, and V.G. Yanke Monitoring of temperature of atmosphere at different altitudes, using angular spectrum of muons.....	504
A.V. Belov, E.A. Eroshenko, O.N. Kryakunova, N.F. Nikolaevsky, and V.G. Yanke Investigation of connection between malfunction rate in satellite electronics and cosmic ray activity indices	508
S.V. Avdeev, A.M. Galper, M.G. Korotkov, A.V. Popov, A.V. Ivanova, P. Picozza, V. Bidoli, M. Casolino, M.P. de Pascale, G. Furano, I. Modena, A. Morselli, L. Narici, E. Reali, R. Sparvoli, M. Ricci, P. Spillantini, G. Castellini, W. Bonvicini, A. Vacchi, N. Zampa, P. Carlson, M. Boezio, C. Fuglesang, V.P. Salnitsky, K.A. Trukhanov, and O.I. Shevchenko Preliminary results of studying effect of heavy charged particles on human central nervous system in experiments SilEye and Alteino	512–514